### Computer Graphics 2016

#### 14. Global Illumination

Hongxin Zhang
State Key Lab of CAD&CG, Zhejiang University

2017-01-09


### Course project

- Tomorrow
- 3 min presentation
- 2 min demo

### Outline


- Shadows
- Radiosity
- Ray-tracing

### Environment Maps






- We use the *direction* of the reflected ray to index a texture map.
- We can simulate reflections. This approach is not completely accurate. It assumes that all reflected rays begin from the same point, and that all objects in the scene are the same distance from that point.




#### Shadows



- eliminate the perceptual artifacts of objects floating above the ground
- emphasize the changing direction of the light source
- may be sharp edged or soft edge, can contain both an umbra and a penumbra depending on the shape of the light source and its distance from the light source

An illuminated scene without shadows could be confusing and affects realism

### Shadow buffer



$$I = I_a k_a + \sum_{1 \le i \le m} I_{pi} [k_d (\overline{N} \bullet \overline{L}_i) + k_s (\overline{R}_i \bullet \overline{V})^n]$$

#### Shadow Z-buffer

- One of the simplest approaches to shadow computation
  - Integrates easily with z-buffer based renderers
- Idea: shadows are those parts of objects that are not visible when viewed from the light source

#### Shadow Z-buffer

- The algorithm has two steps
  - First step
    the light source is treated as the eye point and the appropriate view transformation is applied

- The scene is rendered using z-buffer algorithm, but only depth information is stored into a shadow z-buffer Light Source

# Shadow Z-buffer (Z-buffer enhanced for shadows)


#### Second step

the scene is rendered from the actual view with an enhanced z-buffer algorithm

- if a point (x, y, z) is visible, than the view transformation of the light source is applied to the point which maps it to a point (xl, yl, zl)
- (xl, yl, zl) is a view of the point (x, y, z) seen from the source
- (xl, yl) is used to index into the shadow z-buffer and the corresponding depth value is compared with zl
- if zl is greater than the depth value then the (x, y, z) is in a shadow

### Facts about adding shadows

- Algorithms for shadows deal with polygonal meshes
  - ray tracing is an exception
- Most of the shadows generated are hard edged generated by point light sources
  - Shadows generated by area light sources require special handling
- Adding shadows is a computational overhead and hence is not treated as a necessity like shading algorithms
- For 3D animation shadows are important for depth and movement perception



#### Global illumination

- Observation: light comes from other surfaces, not just designated light sources
- Goal: simulate inter-reflection of light in 3D scenes
- Difficulty: you can no longer shade surfaces one at a time, since they're now interrelated!


- Two general classes of algorithms:
  - radiosity methods: set up a system of linear equations whose solution is the light distribution
  - ray tracing methods: simulate motion of photons one by one, tracing photon paths either backwards or forwards

## 2. Radiosity



### Radiosity Methods

- Solutions for global diffused interactions
- Object space algorithm
  - solves for intensity on the surface of each object in the environment
  - view independent.
- The resulting intensity solution is given to a renderer
  - synthesizes an image for a specific view by removing hidden surfaces
- Excellent for generation of realistic images of interior environments which are collections of non-specular objects




credits: John Wallace & Micheal Cohen, 1987




### Radiosity Theory

- Radiosity is defined as energy per unit area leaving a surface per second
- Surfaces in the environment are divided into smaller elements called patches
- Each patch has surface properties like reflectivity  ${f R}$  (positive value less than 1.0), and emissivity  ${f E}$ , which is the energy emitted per unit area
- Energy leaving a patch is the sum of reflected energy and emitted energy




- For the i<sup>th</sup> patch with radiosity **B**<sub>i</sub> and area **A**<sub>i</sub>
- energy leaving the patch is B<sub>i</sub>A<sub>i</sub>

 $B_iA_i$  = emitted energy + reflected energy emitted energy =  $E_iA_i$ reflected energy =  $R_i$  x (Incident energy)



- Incident energy is the energy that arrives at the i<sup>th</sup> patch from all the other patches in the environment
- If the  $\mathbf{B}_{j}\mathbf{A}_{j}$  is the energy leaving the  $\mathbf{j}^{th}$  patch, then the amount of that energy reaching the  $\mathbf{i}^{th}$  patch is denoted as  $\mathbf{F}_{ji}\mathbf{B}_{j}\mathbf{A}_{j}$
- F<sub>ii</sub> is called the form factor

#### Form Factor Calculation



#### Form Factor Calculation

- The radiosity equation can now be written as

$$B_{i}A_{i} = E_{i}A_{i} + R_{i}\sum_{j=1}^{n} B_{j}F_{ji}A_{j}$$

- Form factor  $F_{ji}$  is a constant and depends on the geometric relationship between the patches
- A reciprocity relationship gives  $F_{ij}A_i = F_{ji}A_j$
- Substituting this relationship in the above radiosity equation and dividing throughout by  $A_i$

$$B_i = E_i + R_i \sum_{j=1}^n B_j F_{ij}$$

### The Radiosity Matrix

$$B_i - R_i \sum_{j=1}^n B_j F_{ij} = E_i$$

Such an equation exists for every patch in the scene

$$B_{1} - R_{1}F_{11}B_{1} - R_{1}F_{12}B_{2} \bullet \bullet \bullet - R_{1}F_{1n}B_{n} = E_{1}$$

$$B_{2} - R_{2}F_{21}B_{1} - R_{2}F_{22}B_{2} \bullet \bullet \bullet - R_{2}F_{2n}B_{n} = E_{2}$$

$$B_{3} - R_{3}F_{31}B_{1} - R_{3}F_{32}B_{2} \bullet \bullet \bullet - R_{3}F_{3n}B_{n} = E_{3}$$

$$\vdots$$

$$B_{n} - R_{n}F_{n1}B_{1} - R_{n}F_{n2}B_{2} \bullet \bullet \bullet - R_{n}F_{nn}B_{n} = E_{n}$$

### The Radiosity Matrix

This set simultaneous of equations can be written in matrix form:

$$\begin{bmatrix} 1 - R_1 F_{11} & - R_1 F_{12} & \cdots & - R_1 F_{1n} \\ - R_2 F_{21} & 1 - R_2 F_{22} & \cdots & - R_2 F_{2n} \\ \vdots & \vdots & & \vdots \\ - R_n F_{n1} & - R_n F_{n2} & \cdots & 1 - R_n F_{nn} \end{bmatrix} \begin{bmatrix} B_1 \\ B_2 \\ \vdots \\ B_n \end{bmatrix} = \begin{bmatrix} E_1 \\ E_2 \\ \vdots \\ E_n \end{bmatrix}$$

 $E_i$  is non-zero only for patches of light sources

 $R_i$  is the reflectivity of the patch

 $F_{ij}$  is the form factor which can be calculated

The matrix equation is solved to calculate  $B_i$ 's

### The Radiosity Matrix

This set simultaneous of equations can be written in matrix form:

$$(I - RF)B = E$$

This can be solved by Gauss/Seidel iteration

 $E_i$  is non-zero only for patches of light sources

 $R_i$  is the reflectivity of the patch

 $F_{ij}$  is the form factor which can be calculated

The matrix equation is solved to calculate  $B_i$ 's




credits: Dani Lischinski & Filippo Tampieri, 1993

#### Reference & Demos

http://dudka.cz/rrv

https://github.com/akhin/graphics\_programming\_projects

### Radiosity Algorithm



Step #1 Step #2 Step #4 Final

### Radiosity Algorithm



Interpolated result



Without interpolation


## 3. Ray Tracing




#### Introduction

- Ray Tracing is a technique for image synthesis Helps create a 2D picture of a 3D world
- An algorithm for visible surface determination, which combines following factors in a single model
  - hidden surface removal
  - shading due to direct illumination
  - shading due to global illumination
  - shadows






Witted model:  $I = I_c + k_s I_s + k_t I_t$ 




```
I = I_c + k_s I_s + k_t I_t
void a raytrace(Vector3D ray, int level, Color *I)
  Color Ilocal, Is, It;
   Int Is inter;
  Vector3D vl, vr, p, Normal;
   Inter_scene(ray, scene, &ls_inter, &p, &Normal, &vl, &vr, face);
   if (ls inter) {
      Calculate_Local_I(&Ilocal, face, p, Normal);
     if (Level<plvI) {</pre>
         a_raytrace(vl, int level+1, &ls);
         a raytrace(vr, int level+1, &lt);
         *I=Ilocal+face->ks*Is + face->kt*It;
      else
         *I=Ilocal;
   else
                                                                        Pixel
     *I = Background;
```


## Ray Tracing




#### Features

- Best known for handling shadows, reflections and refraction
- It is an algorithm that works entirely in object space, hence accurate
- Partial solution to global illumination problem and is the most complete simulation of an illumination-reflection model in computer graphics
- Ray tracing has produced some of the most realistic images in computer graphics









## Representing a Ray

- Ray tracing is based on ray-object intersection algorithms

Representing a ray becomes essential:

A point P on a ray is given by the parametric equation

$$P = O + t \cdot D$$
 , for  $t > 0$ 

where O is the ray origin, D is the ray direction

If the direction D is normalized then t is the distance of the point from the origin

## ...Representing a Ray

- Given a ray with origin  $\mathbf{O}(x_0, y_0, z_0)$  and direction  $\mathbf{D}(x_d, y_d, z_d)$  any point on the ray is given as

$$P(x_o + t \cdot x_d, y_o + t \cdot y_d, z_o + t \cdot z_d)$$

• This equation forms the basis of calculating intersections with some of the common primitives like sphere, plane etc..

## Ray-Sphere Intersection

- Sphere Representation:
  - center  $C(x_c, y_c, z_c)$ , radius r
- Equation of the sphere is

$$(x - x_c)^2 + (y - y_c)^2 + (z - z_c)^2 = r^2$$

Substituting the ray equation into the sphere equation we have

$$(x_o + t \cdot x_d - x_c)^2 + (y_o + t \cdot y_d - y_c)^2 + (z_o + t \cdot z_d - z_c)^2 = r^2$$

This is a quadratic equation of the form

$$A \cdot t^{2} + B \cdot t + C = 0$$
where,
$$A = x_{d}^{2} + y_{d}^{2} + z_{d}^{2} = 1$$

$$B = 2 \cdot (x_{d} \cdot (x_{o} - x_{c}) + y_{d} \cdot (y_{o} - y_{c}) + z_{d} \cdot (z_{o} - z_{c}))$$

$$C = (x_{o} - x_{c})^{2} + (y_{o} - y_{c})^{2} + (z_{o} - z_{c})^{2} - r^{2}$$

the two roots are given by

$$t_1 = \frac{-B - \sqrt{B^2 - 4 \cdot C}}{2}$$
  $t_2 = \frac{-B + \sqrt{B^2 - 4 \cdot C}}{2}$ 

 The smallest positive t value gives the nearest point of intersection

## Ray-Plane Intersection

- The plane is represented by the equation

$$a \bullet x + b \bullet y + c \bullet z + d = 0$$

 Substituting the ray equation into the plane equation we have

$$a \bullet (x_o + t \bullet x_d) + b \bullet (y_o + t \bullet y_d) + c \bullet (z_o + t \bullet z_d) + d = 0$$

Solving for t

$$t = \frac{-\left(a \cdot x_o + b \cdot y_o + c \cdot z_o + d\right)}{\left(a \cdot x_d + b \cdot y_d + c \cdot z_d\right)}$$

## Ray-Polygon Intersection

- Involves two steps
  - Find the point of intersection of the ray with the plane of the polygon

 Check if the point is inside or outside the polygon (even-odd rule)

## Efficiency in Ray Tracing

- 95% of the time is spent in ray-object intersection
- So to increase speed
  - write faster intersection algorithms
  - reduce number of intersection calculations
- Intersection algorithms are always written to work efficiently. Reducing the number of intersection calculation is the key to increase speeds

## Some Observations of Ray tracing

- computationally intensive
  - may take hours to generate a scene of reasonable complexity
- view dependent
  - For every change in view the image has to be recomputed

- Ray tracing in real-time is a challenge even today
  - GPU based ~ or Cloud based ~
  - Use of parallel machines and dedicated ray tracing chips are some methods being investigated to do real-time ray tracing

- Ray tracing does not handle in a natural way some behavior of light like
  - diffused inter-reflections, bleeding of colored light from a dull red file cabinet on to a white carpet, giving the carpet a pink tint
  - caustics, focussed light like the shimmering waves at the bottom of the swimming pool


## Radiosity v.s. Ray Tracing

- Area light sources
- Diffuse Reflections
- Color Bleeding
- Soft Shadows
- View-independent

- Point light sources
- Specular reflections
- Refraction effects
- Sharp shadows
- View-dependent

## Particle/Path Tracing

- Global Illumination Method
- Particle Model of Light
- Monte Carlo Simulation




#### luxrender.net


- LuxRender is a physically based and unbiased rendering engine. Based on state of the art algorithms, LuxRender simulates the flow of light according to physical equations, thus producing realistic images of photographic quality.



## Particle Tracing

- Particle Tracing is a view-independent technique for global illumination computation
- It is based on the Monte Carlo simulation of particle model of light
- Particle Tracing computes illumination for surfaces as well as volumes
- Computation is done only once for static scenes





Soft Shadows

Light reflected by the mirror

## Particle Tracing with Reflections




#### Fantastic work from CAD Lab

- RenderAnts Pro (GPU based)
  - http://www.gaps-zju.org/project/renderants.html








#### Fantastic work from CAD Lab


- Rendering Cloud System (cloud based @ aliyun)
  - http://render.aliyun.com



up to 6700 computing node

#### Fantastic work from CAD Lab

- Rendering Cloud System (cloud based @ aliyun)
  - http://render.aliyun.com



#### Homework 05

- Render your dream car
  - Target: render a car
  - Software: Povray
  - Resolution:  $> 640 \times 480$
  - Contraints:
    - Algorithm:ray tracing
    - effects: mirror / transparent / (soft) shadow





# THANK YOU